

# Utah Department of Environmental Quality

## Division of Drinking Water

### Monitoring Schedule

Run Date:  
08/04/2011 12:38 pm

**PWS ID:** UTAH22047      **Name:** SMITH-MOREHOUSE CAMPGROUND

**Legal Contact:** USFS - UINTA-WASATCH-CACHE NF SO      **Rating:** Approved  
KIM MARTIN      **Rating Date:** 04/09/1996

**Address:** 88 W 100 N      **Activity Status:** Active  
PROVO, UT 84601

**Phone Number:** 801-342-5100

**City Served (Area):**

**County:** SUMMIT COUNTY

**System Type:** Non-community      **Last Inv Update:** 08/17/2010      **Avg Daily Prod:**

**Activity Status Cd:** Active      **Last Snty Srv Dt:** 09/29/2008      **Total Dsgn Cap:**

**Population:** 115      **Surveyor:** DAVID F HANSEN      **Total Emerg Cap:**

**Oper Period:** 5/21 to 9/30

**Gal/Day   Gal/Min**

### Total Coliform Rule Monitoring

| Sample Count | Sample Type | Sample Frequency | Effective Begin Date | Effective End Date | Seasonal Start | Seasonal End | Analyte Name   |
|--------------|-------------|------------------|----------------------|--------------------|----------------|--------------|----------------|
| 1            | Routine     | Quarterly        | 07/01/2006           |                    | 5/21           | 9/30         | COLIFORM (TCR) |

### Additional Monitoring Requirements

(The Sample Label is not correct for Disinfection Byproducts, TOC, TOC Alkalinity, and any triggered groundwater samples)

Facility ☐ ID ☐ Facility Name

| Analyte Name |                        | Sample Count | Sample Type        | Sample Frequency | Last Sample                         | Next Sample Between   |
|--------------|------------------------|--------------|--------------------|------------------|-------------------------------------|-----------------------|
| WS001        | SMITH-MOREHOUSE SPRING |              | Activity Status: A |                  | Sample Label: UTAH22047 WS001 WS001 |                       |
|              | NITRATE                | 1            | Routine            | Year             | 08/03/2010                          | 01/01/2011-12/31/2011 |
|              | SULFATE                | 1            | Routine            | 9Y               | 09/04/2002                          | 01/01/2011-12/31/2019 |